

TANKLESS EXTRAS FROM RHEEM

extras

**Accessories,
Manifold Systems
and Vent Kits
designed to
customize your
Rheem tankless
installation**



Tankless water heaters
Continuous hot water



relax
It's Rheem®



extras

designed to
customize your
Rheem tankless
installation



Accessories



Manifold Systems



Vent Kits

Rheem Advantages

It is the goal of Rheem to set the standard for the plumbing industry we serve, and to be the organization against which others are measured. We are market driven, and will continue to explore products and services that offer our customers a competitive advantage in the marketplace.

Technology

Rheem has significant research and development capability which allows us to offer the latest technology and product reliability to our customers.

Patented Products

Rheem has a number of patented products that allow us to offer the highest quality replacement parts.

Customer Service

Rheem has an industry-leading customer service team that can provide fast and convenient answers to our customers' questions.

Brand Equity

The Rheem and Ruud names are synonymous with quality and customer service and allows Rheem Parts and our partners to capitalize on this brand recognition with professional plumbers.

Business Partner

Rheem is a proven business partner to our customers.

Sales Professionals

Rheem Water Heating has an exceptional network of sales professionals to help our customers sell replacement parts.

More Rheem water heaters have been installed in homes than any other brand. Rheem has been providing reliable water heating to the world since we invented the water heater over 100 years ago.

Tankless water heaters
Continuous hot water



relax
It's Rheem®

Tankless *accessories*



Recess Boxes

Recess boxes enhance an outdoor installation by protecting the tankless unit from damage and tampering. It also provides additional protection from extreme weather. These boxes come in an almond color and can be painted by the customer

- **RTG20038** for the RTG-74X and GT-199X. Rough in dimensions: 41" high, 17" wide, 10" deep
- **RTG20170** for the RTG-64X, RTG-84X, RTG-95X and RTG-66X. Rough in dimensions: 36-1/2" high, 14-3/4" wide, 8-1/2" deep
- **RTG20065** for the RTG-53X. Rough in dimensions: 35" high, 14-3/4" wide, 5-5/8" deep



Pipe Covers

Cosmetic pipe covers enhance an indoor or outdoor installation by concealing the pipe beneath the water heater. It provides protection from tampering and weather conditions. These covers come in an almond color and can be painted by the customer.

- **RTG20063PV (beige only)** for the RTG-53PV or X
- **RTG20063DV (beige only)** for the RTG-53DV
- **RTG20169DV (beige)**
- **RTG20169DVG (gray)** for the RTG-64DV, RTG-84DV, RTG-95DV and RTG-66DV
- **RTG20169XG (gray only)** for the RTG-64X, RTG-84X, RTG-95X and RTG-66X
- **RTG20037 (beige)**
- **RTG20037G (gray)** for the RTG-74 or GT-199



Remote Controls

- **RTG20006DW** UMC-117 main remote control
- **RTG20006DU** USC1-117 bath remote control
- **RTG20006DV** USC2-117 second bath remote control
- **RTG20009-1** 10 ft. thermostat wire 1 pair 18AWG



Flush Kit

Connects easily to tankless isolation valves. Simple to use.

- **RTG20124** Includes: 5-gallon bucket, submersible pump and two stainless steel hoses



Service Valve

- **RTG20111-1**
Watts service valves, includes relief valve



Pressure Relief Valve

- **AP12993C**
Watts pressure relief valve, rated at 150 PSI

Tankless manifold systems

EZ-Link™ Connect Two Tankless Water Heaters


EZ-Link™ Cable

- **RTG20040**

Connect two tankless water heaters† together in a manifold* † This will allow two heaters to communicate together and operate as a single unit. Perfect for when one tankless is just not enough.

* Only two units may be connected together with the EZ-Link™ Cable.

† Only RTG2-42, RTG53, RTG-66, RTG-74 or GT-199 models that have a-1 or greater suffix and all RTG-64, RTG-84 and RTG-95 models can be used with EZ-Link™ Cable.



MIC-180 Manifold Controller System Connects up to 20 Tankless Water Heaters



MIC-180 Manifold Controller

- **RTG20126A** manifold and control up to 6 tankless models.* Includes installation cabinet for indoor or outdoor applications.

MICS-180 Manifold Controller Expansion Card

- **RTG20126B** Add on the MIC-180 for up to 20 units in total.** Installations of 7 to 20 require this expansion card. Mounts inside the MIC-180 cabinet. Includes cables to connect to the MIC-180 board.

Replacement Manifold Control Board

- **RTG20126J**

* Only RTG-74 with a -1 or greater suffix on the model number, and all RTG2-42, RTG-53, RTG-66 and GT-199 models. Commercial models will be limited to 180° F in a manifold system. Residential models are limited to 140° F.

** This card provides control cable connection points for units 7 - 20 in multi-unit manifold.

Manifold Control Cables (Type K)

One required for each tankless water heater installed in a manifold. Connects a single tankless water heater to the MIC-180.

Note: These cables will not fit the MIC-6

- **RTG20126C** MIC-K-16, 16 ft. control cable
- **RTG20126D** MIC-K-32, 32 ft. control cable
- **RTG20126E** MIC-K-65, 65 ft. control cable



MIC-6 Manifold Controller System Connects up to 6 Tankless Water Heaters

MIC-6 Manifold Controller System

For the RTG-64, RTG-84 and RTG-95 Series models only.


This kit will not work on any model manufactured before January 2010.

- **RTG20213A** Connect up to 6 tankless water heaters together in a manifold. This kit mounts inside a single tankless unit and connects to up to 5 additional units for a total of 6. Additional Type Q cables are necessary, listed below.

Manifold Control Cables (Type Q)

One required for each tankless water heater installed in a manifold. Connects a single tankless water heater to the MIC-6. Note: These cables will not fit the MIC-180.

- **RTG20213B** MIC-Q-1, 1 ft. control cable
- **RTG20213C** MIC-Q-6, 6 ft. control cable
- **RTG20213D** MIC-K-18, 18 ft. control cable



Tankless venting

Direct Vent Kits for RTG-64DV, RTG-84DV and RTG-95DV



Horizontal Vent Termination Kit by Metal Fab, Inc.

- **RTG20210** Contains: 94-degree elbow, long termination, (1) 12" wall plate and screws. For up to 10-inch walls. Can be extended.



Vertical Vent Termination Kit by Metal Fab, Inc.

- **RTG20211** Contains: storm collar, 6/12 to 12/12 pitched cone flashing, vertical termination with rain cap. Does not include vertical vent pipe.

Direct Vent Kits for RTG-53DV and RTG-66DV



Horizontal Vent Termination Kit by Metal Fab, Inc.

- **RTG20147-1** Contains: appliance adapter, a 94-degree elbow, long termination, (1) 12" wall plate and screws. For up to 10-inch walls. Can be extended.



Vertical Vent Termination Kit by Metal Fab, Inc.

- **RTG20184** Contains: appliance adapter with integrated condensate collector, condensate drain tube, storm collar, 6/12 to 12/12 pitched cone flashing, vertical termination with rain cap. Does not include vertical vent pipe.

Complete Your Installation with These Accessories



6" Vent Length

- **RTG20151W**
5.66" overall length



12" Vent Length

- **RTG20151R**
11.66" overall length



24" Vent Length

- **RTG20151C-1**
23.66" overall length



36" Vent Length

- **RTG20151D-1**
35.66" overall length



90-Degree Elbow

- **RTG20151A-1**
8.1" rise – 8.1" run




45-Degree Elbow

- **RTG20151B-1**
8.6" rise – 3" run



Wall Hanger

- **RTG20151H**
2-point pivot mounting



Support Plate

- **RTG20151T**
17" square base support / fire stop



For more information,
call **1-866-720-2076**
or visit **rheem.com**



In keeping with its policy of continuous progress and product improvement, Rheem reserves the right to make changes without notice.

Tankless water heaters
Continuous hot water



relax
It's Rheem®

Rheem Water Heating and Heating & Cooling Products
101 Bell Road, Montgomery, AL 36117-4305
1-866-720-2076 • www.rheem.com

Rheem Canada Ltd./Ltée • Water Heater Division
125 Edgeware Road, Unit 1, Brampton, Ontario L6Y 0P5

Printed in U.S.A. 04/10 WP 101-70-10 Rev. 1